

ce.max° ZirCAD

MT Multi A

# Everything for chairside CAD/CAM restorations


Smart solutions

for CEREC® users



All you need for restorations in a single visit CEREC dentists have been relying on our products for many years. Our clinically proven solutions are coordinated with each other to allow a smooth workflow. They cover a diverse field of applications and offer you everything you need for dental treatments in a single visit. Your benefits: durable, esthetic and accurate restorations paired with efficient and time-saving workflows. ✓ Coordinated products for dental treatments in a single visit ✓ High clinical evidence demonstrating the reliable quality of chairside restorations ✓ Suitable material and shade for every clinical situation ✓ Innovative auxiliaries enabling efficient dental procedures - from initial consultation to aftercare ✓ Smart solutions to speed up your practice

# Efficient workflows, maximum flexibility



IPS e.max CAD:
Strong [1], esthetic, reliable [3-5] –
and now faster than ever
before [6-7]

You can grind and crystallize IPS e.max CAD
posterior crowns in less than 20 minutes in
your dental practice. [6-7]

ivoclar
ivoclar
ivoclar



- ✓ It only takes 19:17 minutes to complete an IPS e.max CAD crown.<sup>[6-7]</sup>
- ✓ Grinding time is only 08:07 minutes with the fast mode of the CEREC Primemill.<sup>[6]</sup>
- ✓ Crystallization is efficiently achieved in 11:10 minutes using the Programat CS6 furnace.<sup>[7]</sup>

# The world's best-selling glass-ceramic [8]

## IPS e.max® CAD

The highly esthetic lithium disilicate glass-ceramic (LS<sub>2</sub>) IPS e.max CAD is designed for the efficient fabrication of full-contour restorations. The material stands for maximum flexibility. It offers a versatile field of applications, a full range of processing options and a high strength of 530 MPa<sup>[1]</sup>. The material's esthetic properties and longevity have been confirmed by everyday clinical practice<sup>[3-5]</sup>.


#### Types of restorations:

- Crowns
- Inlays
- Onlays (e.g. occlusal veneers, partial crowns)
- Veneers
- Implant-supported hybrid restorations (hybrid abutments, hybrid abutment crowns)
- 3-unit bridges up to the second premolar as the terminal abutment





#### **Processing options**











Staining technique

#### Block sizes, shades and translucency levels

- 4 block sizes (I12, C14, C16, B32) and 2 abutment block sizes (A14, A16)
- 4 translucency levels and 2 Impulse blocks (HT - High Translucency, MT - Medium Translucency, LT - Low Translucency, MO - Medium Opacity)
- Comprehensive range of shades: available in A-D and BL shades (the range of shades varies depending on the translucency level)



- ✓ Excellent esthetics and high biaxial strength of 530 MPa<sup>[1]</sup>
- ✓ 97.2% survival rate of posterior crowns over a period of 10 years<sup>[9]</sup>
- ✓ Efficient grinding and crystallization process for posterior crowns taking only 19:17 minutes to complete [6-7]
- ✓ 10-year guarantee
- ✓ Conventional, adhesive or selfadhesive cementation options<sup>[10-12]</sup>

# High-strength zirconium oxide

## IPS e.max® ZirCAD

IPS e.max ZirCAD allows the efficient fabrication of esthetic monolithic zirconia restorations using a speed sintering process.



IPS e.max ZirCAD MT Multi combines two raw materials in one product: Translucent 5Y-TZP zirconium oxide imparts high levels of translucency to the incisal area. More opaque 4Y-TZP zirconium oxide provides high strength to the dentin area.

In addition, the material features a specially designed gradual progression of shade and translucency, consisting of 60% dentin, 20% transition and 20% incisal zone.\*

#### Types of restorations:

- Crowns
- 3-unit bridges





#### **Processing options**







Glazing technique



Staining technique

#### Block sizes, shades and translucency levels

- 2 block sizes (C17, B45)
- 1 translucency level and Multi block
   (LT Low Translucency, MT Multi Medium Translucency)
- Available in shades BL, BL1, A1, A2, A3, B1, B2, C2, D2 (the range of shades varies depending on the translucency level)

- ✓ High strength of 1200 MPa (LT) and 850 MPa (MT Multi) enables thinner wall thicknesses and less reduction of natural tooth structure<sup>[2]</sup>
- ✓ Natural progression of shade and translucency for true-to-nature esthetic results in conjunction with the MT Multi\* blocks
- ✓ Natural fluorescence with the IPS e.max CAD Crystall./Glaze Fluo paste\*
- ✓ 10-year guarantee
- ✓ Conventional, adhesive or selfadhesive cementation [13-14]

<sup>\*</sup> At natural lighting conditions.

The use of artificially generated UV or UV-like light may result in a different impression.

# Highly esthetic leucite glass-ceramics

Block sizes, shades and translucency levels

- 2 translucency levels (HT, LT) and Multi block

- Comprehensive range of shades: available in

depending on the translucency level)

A-D and BL shades (the range of shades varies

- 4 block sizes (I10, I12, C14, C14 L)

# IPS Empress<sup>®</sup> CAD

IPS Empress CAD is associated with more than 20 years of successful clinical performance. The material is known for exceptional esthetics and can be polished to a high gloss quickly and easily. A special highlight is the polychromatic CAD Multi block. This block is distinguished by a natural progression of shade and fluorescence from the dentin to the incisal area.

#### Types of restorations:

- Crowns
- Inlays
- Onlays (e.g. partial crowns)
- Veneers

# Empress® CAD Multi A2 C 14 ivoclar : vivadeni

- ✓ Highly esthetic restorations, efficiently created
- ✓ Clinically proven material with a flexural strength of 185 MPa<sup>[1]</sup>
- ✓ Optimum adjustment of the shade to the natural tooth structure due to the chameleon effect

# Efficient composite

## Tetric® CAD

Tetric CAD is an esthetic composite block for creating single-tooth restorations efficiently via the CAD/CAM technique. Given the pronounced chameleon effect, Tetric CAD restorations blend in with the residual tooth structure in an optically pleasing manner. The restoration is polished after milling and then seated using an adhesive cementation protocol.

#### Types of restorations:

- Veneers
- Inlays
- Onlays (e.g. partial crowns, occlusal veneers)
- Crowns

#### Block sizes, shades and translucency levels

- 1 block size (C14)
- 2 levels of translucency (HT, MT)
- Available in shades BL, A1, A2, A3, A3.5
   (the range of shades varies depending on the translucency level)



- ✓ True-to-nature integration into the oral environment due to the unique chameleon effect
- ✓ Easy and efficient processing
- Excellent polishability and intraoral repairability
- ✓ Stability even in limited layer thicknesses; restorations with thinly tapered margins possible

# Cross-linked PMMA material

# Telio® CAD

Telio CAD are cross-linked PMMA blocks for the efficient fabrication of long-term temporaries. As a result of an optimised manufacturing process, the restorations feature a smooth surface that can be quickly and efficiently polished.

#### Types of restorations:

- Temporary crowns
- Temporary bridges with up to two connected pontics
- Implant-supported temporary hybrid abutment crowns






#### Block sizes, shades and translucency levels

- 2 block sizes (B40 L, B55) and 1 abutment block size (A16)
- 1 translucency level (LT)
- Available in shades BL3, A1, A2, A3, A3.5, B1, B3, C2, D2

- ✓ High material homogeneity and process reliability result in fewer mixing errors and air entrapments compared with conventional methods
- ✓ Excellent polishability
- ✓ Shade stability and lifelike fluorescence\*
- ✓ Economical fabrication of longterm temporaries

# Material overview

	Variolink® Esthetic		SpeedCEM® Plus	Telio <sup>®</sup> CS Link	Multilink® Hybrid abutment*
Curing	Light-curing	Dual-curing	Self-curing with light- curing option	<b>Dual-curing</b> (light- and self-curing)	Self- curing*
Method	Adhesive		Self-adhesive	Temporary	Adhesive*
Conditioning	Adhese® Universal or Syntac®				
	Monobond Etch & Prime®				Monobond® Plus and IPS® Ceramic Etching Gel
IPS e.max® CAD Lithium disilicate (LS <sub>2</sub> ) glass-ceramics					
Occlusal veneers	~	~	_	-	-
Veneers	~	~	-	_	_
Inlays, onlays, partial crowns	~	~	-	_	_
Minimally invasive crowns (1 mm)	-	~	-	-	_
Crowns	-	~	<b>/</b> **	-	_
3-unit bridges	-	~	<b>/</b> **	-	_
Hybrid abutments	-	-	-	-	~
Hybrid abutment crowns	-	_	-	_	~
IPS e.max <sup>®</sup> ZirCAD Zirconium oxide (ZrO <sub>2</sub> ) ceramics					
Crowns			~		
3-unit bridges			~		
IPS Empress® CAD Leucite glass-ceramics					
Inlays, onlays, partial crowns	~	~	-	_	_
Veneers	~	~	-	_	_
Crowns	_	~	_	_	_
Tetric <sup>®</sup> CAD Composite					
Occlusal veneers	<b>√</b> ****	<b>~</b> ****	_	_	-
Veneers	<b>/</b> ****	<b>/</b> ****	-	-	_
Inlays, onlays, partial crowns	<b>/</b> ****	<b>/</b> ****	-	-	_
Crowns		<b>/</b> ****	-	_	-
Telio® CAD Cross-linked PMMA material					
Temporary crowns	_	_	_	~	-
Temporary bridges (with up to 2 connected pontics)	-	-	-	~	-
Temporary hybrid abutment crowns	-	-	-	-	<b>/</b> ***



<sup>✓</sup> Recommended product combination

Luted extraorally
 Conditioning with Monobond Etch & Prime®
 \*\*\* Conditioning with SR Connect
 \*\*\*\* Conditioning with Adhese® Universal

# Finalizing

# IPS e.max® CAD Crystall./Shades, Stains and Glaze



IPS e.max CAD Crystall./Shades/Stains and Glaze are a universal range of stains and glazes designed for IPS e.max CAD, IPS e.max ZirCAD and IPS Empress CAD.

#### Stains

IPS e.max CAD Crystall./Shades are dentin stains in paste form. They are optimally coordinated with Ivoclar's range of CAD/CAM materials. The intensive IPS e.max CAD Crystall./Stains are also supplied in paste form. They are suitable for imitating natural tooth characteristics.

#### Glaze

Glazes are available in two delivery forms: glaze spray and paste. In addition, paste formulation is available in two versions - with or without fluorescent effect.

#### Add-On

IPS e.max CAD Crystall./Add-On is suitable for applying minor corrections to IPS e.max CAD and IPS e.max ZirCAD restorations (e.g. to proximal contact areas).



- IPS e.max CAD Crystall./Shades: 0, 1, 2, 3, 4, I1, I2
- IPS e.max CAD Crystall./Stains: white, cream, sunset, copper, olive, khaki, mahogany
- IPS e.max CAD Crystall./Glaze Paste
- IPS e.max CAD Crystall./Glaze Paste Fluo
- IPS e.max CAD Crystall./Glaze Spray
- IPS e.max CAD Crystall./Glaze Liquid
- IPS e.max CAD Crystall./Add-On: Dentin, Incisal
- IPS e.max CAD Crystall./Add-On Liquid



- ✓ Reduced inventory, reduced costs a single range suitable for IPS e.max CAD, IPS e.max ZirCAD and IPS Empress CAD
- ✓ Familiar application and consistently high
- ✓ Glaze with and without fluorescent effect\*

<sup>\*</sup> At natural lighting conditions.

The use of artificially generated UV or UV-like light may result in a different impression.

# Firing

# Programat® chairside furnaces

Clinicians and dental technicians all over the world simply love the high quality standard, homogeneous firing results and straightforward operation that the Programat furnaces offer alongside many other innovative features. It is not without reason that the Programat furnaces are among the best-selling ceramic furnaces<sup>[8]</sup>.

Speed programs

✓ Specially developed Speed programs will crystallize the IPS e.max CAD materials in extremely short times.



✓ Our user-friendly chairside furnaces are intuitive to operate with a large colour touchscreen.



✓ The 40-year success story of the Programat series is evidence for the high quality standard of these furnaces.



✓ In addition to the predefined Ivoclar programs, the furnaces offer several individually programmable program options.

#### **Programat CS6**

Crystallization, sintering and glazing furnace





# **Programat CS2**Crystallization and glazing furnace



# Crystallization and glazing furnace with Digital Shade Assistant

**Programat CS3** 

# Reliable cementation

## Variolink® Esthetic

Variolink Esthetic is an esthetic lightand dual-curing luting composite for the permanent cementation of demanding ceramic and composite resin restorations.

Applied in combination with Monobond Etch & Prime, the first self-etching glass-ceramic primer worldwide, Variolink Esthetic produces excellent bond strength values on restorations made of glass-ceramic.

## Suitable for the cementation of restorations made of:

- IPS e.max CAD
- IPS Empress CAD
- Tetric CAD



# ZirCAD® Cement

ZirCAD Cement is a new highperformance resin-modified glass ionomer cement designed for everyday use. Easy clean-up of excess cement and a straightforward application protocol ensure predictable cementation results in every clinical situation. There is no need for applying an additional primer or conditioning.

### Suitable for the cementation of restorations made of:

- Zirconia materials



- ✓ Balanced and straightforward Effect shade system
- ✓ Impressive shade stability
- ✓ User-friendly application protocol easy, controlled clean-up of excess material
- Available in a light-curing version (LC) and in a dual-curing version (DC)

- ✓ Quick and easy clean-up of excess material in the gel phase; can be accelerated with optional tack cure
- ✓ Continuous fluoride release based on a special formulation
- ✓ Resistant against humidity and acids
- ✓ Single-product cement without primer or conditioner

# Implant prosthetics

#### From temporary to permanent restoration

Blocks made of IPS e.max CAD and Telio CAD come with a pre-fabricated interface for the extraoral cementation to a titanium bonding base, e.g. Dentsply Sirona TiBase. This allows implant-supported hybrid abutments and hybrid abutment crowns to be created at chairside using clinically proven products<sup>[17-19]</sup>. Cementation is achieved with the self-curing Multilink Hybrid Abutment luting composite.



**Temporary**Telio CAD (A 16)



- ✓ Straightforward design of the emergence profile [19; 20]
- ✓ Visualization of the permanent restoration
- ✓ Pre-fabricated interface in size S or L for Dentsply Sirona TiBase



Permanent restoration IPS e.max® CAD (A14, A16)





- ✓ Esthetic restoration due to tooth-coloured hybrid abutments
- ✓ Hybrid abutment crown (2-in-1) offers functionality and efficiency<sup>[17-18]</sup>
- ✓ Good biocompatibility with oral soft tissues<sup>[17]</sup>
- ✓ Pre-fabricated interface in size S or L for the Dentsply Sirona TiBase



**Cementation**Multilink Hybrid Abutment



Care Implant care products

- ✓ Permanent cementation based on high bond strength values<sup>[17,19]</sup>
- Optimum esthetics due to high opacity
- ✓ Easy handling with the convenient automix syringe

- ✓ For the different phases of the implant treatment procedure and aftercare
- Coordinated range of products for assuring the long-term quality of valuable implant restorations

Maximizing the efficiency of day-to-day tasks in the dental practice

Alongside our proven blocks, it is our range of useful auxiliaries that make our products so attractive for CAD/CAM dentists all over the world. Everything out of one hand for restorations in a single visit.

#### IvoSmile App

for visualizing the result of the esthetic makeover in advance of the treatment

#### **OptraGate**

for retracting the lips and cheeks easily and gently over a large area

#### IPS e.max Shade Navigation App

for selecting the appropriate block for the given application

#### **OptraGloss**

for the efficient polishing of ceramic and composite resin restorations

#### CNS - Cementation Navigation System

for finding the most suitable luting material for your cementation needs

#### Adhese Universal

for convenient direct intra-oral application, compatible with all etching techniques

#### Bluephase PowerCure

for reliable curing results due to high light intensity

#### Cervitec Plus

for protecting high-quality restorations from harmful bacteria

- quality testing, R&D Ivoclar, Schaan. Typical mean value of biaxial flexural strength R&D Ivoclar, Schaan

- Fasbinder D. J et al., Study report, 2017b.

  Rauch A et al., Clin. Oral Investig. 2018, 22, p. 1763-1769.

  Boldt J, Spitznagel F. A, Dtsch. Zahnaerzti. Z. 2017, 72 (4), p. 319-325.

  Average grinding time for three IPS emax CAD posterior crowns (16)
- processed in the fast mode of a CEREC Primemill, R&D Ivoclar, Schaan. Programat CS6, Superspeed crystallization, 11:10 minutes, IPS e.max CAD HT,
- MT, LT, IPS e.max CAD Crystall./ Glaze Spray or Self Glaze, max. 2 restoration R&D Ivoclar, Schaan.
- with the Kaplan-Meier method. The failure rate refers to technical failures such as fractures and chipping, R&D Ivoclar, Schaan.

  [10] Aslan Y. U et al., Eur. J. Prosthodont. Restor. Dent. 2019 (27), p. 131-140.
- [11] Lyann S. K et al., J. Adhes. Dent. 2018 (20), p. 261-268.

- [12] Schmitz JH, Beani M, J. Adv. Prosthodont. 2016 (115), p. 678-683.
- The Dental Advisor, 2016, 33(6), p. 10-11.
   Sasse M et al., Int. J. Comput. Dent. 2013, 16, p. 109-18.
   Programat CS6, Speed sintering, 22:00 minutes (without pre-drying), IPS e.max ZirCAD LT and IPS e.max ZirCAD MT Multi, processing a max
- three crowns or one 3-unit bridge per run, R&D Ivoclar, Schaan.

  [16] Programat CS2 and Programat CS3, Speed crystallization, approx.

  14:55 minutes, IPS e.max CAD HT, MT, LT, IPS e.max CAD Crystall./ Glaze spray or polishing technique (self-glaze), R&D Ivoclar, Schaan.

  [17] De Angelis P et al., J. Prosthet. Dent. 2019, 123, 252-256.

  [18] Zhang Y et al, Clin. Oral Implant. Res. 2019, 30, 1059-1066.

- [19] Çömlékoglu M. E et al, Clin. Oral Investig. 2017, 2018, 22, 475-486.
   [20] Kurbad A, Int. J. Comput. Dent. 2014, 17, 239-251.

CEREC® is not a registered trademark of Ivoclar Vivadent AG.